

Printing date 17.05.2021

Safety data sheet according to 1907/2006/EC, Article 31

Version: 9.00

Revision: 22.04.2021

| | | Revision. 22.04.2021 |
|---|---|------------------------------|
| SECTION 1: Identification of | of the substance/mixture and of | the company/undertaking |
| 1.1 Product identifier | | |
| Trade name: SONAX XTREME Wr | heelCleaner PLUS | |
| Sector of Use SU21 Consumer uses: Private hou SU22 Professional uses: Public do | e substance or mixture and uses advis useholds / general public / consumers omain (administration, education, entertai and cleaning products (including solven | inment, services, craftsmen) |
| 1.3 Details of the supplier of the s Manufacturer/Supplier: SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0 | safety data sheet | |
| <i>Further information obtainable fro</i> Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217 <u>United Kingdom:</u> Anglo American Oil Company Ltd 58 Holton Road, Holton Heath Trad. Telephone: (+44) 01929 551557 Email: info@aaoil.co.uk | | |
| 1.4 Emergency telephone number European Union: +49 (0) 89 19240 United Kingdom: 0344 892 0111 Members of Public in England, Scot In Northern Ireland, contact your loc | 0 (Poison Centre Munich) (UK NPIS) tland and Wales can contact NHS 111/NI | HS 24 by dialling 111 |
| SECTION 2: Hazards identi | fication | |
| 2.1 Classification of the substance Classification according to Regul Acute Tox. 4 H302 Harmful if swall Skin Sens. 1 H317 May cause an a | ce or mixture lation (EC) No 1272/2008 lowed. | |
| 2.2 Label elements Labelling according to Regulation The product is classified and labelle Hazard pictograms | | |
| GHS07 | | |

Signal word Warning

Hazard-determining components of labelling: Sodium mercaptoacetate

(Contd. on page 2)

– GB



Printing date 17.05.2021

Version: 9.00

Revision: 22.04.2021

Trade name: SONAX XTREME WheelCleaner PLUS

(Contd. of page 1) Hazard statements H302 Harmful if swallowed. H317 May cause an allergic skin reaction. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P261 Avoid breathing spray. P280 Wear protective gloves. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Determination of endocrine-disrupting properties Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: aqueous tenside solution with additives

| Dangerous components: | | |
|---|---|---------|
| CAS: 367-51-1 EINECS: 206-696-4 Reg.nr.: 01-2119968564-24-xxxx | sodium mercaptoacetate solution (46%) | 25-<50% |
| CAS: 147170-44-3 EC No 931-333-8 Reg.nr.: 01-2119489410-39-xxxx | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts Alternative CAS number: 61789-40-0 Eye Dam. 1, H318; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 4 % ≤ C < 10 % | 1-<3% |
| CAS: 37971-36-1 EINECS: 253-733-5 | 2-phosphonobutane-1,2,4-tricarboxylic acid Met. Corr.1, H290; | 1-<3% |
| Regulation (EC) No 648/2004 or | a detergents / Labelling for contents | |
| amphoteric surfactants, phosphor | nates, non-ionic surfactants | <5% |
| perfumes, limonene | | |

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures General information: Remove soiled clothing After inhalation: Supply fresh air; consult doctor in case of complaints. After skin contact: Wash the areas of skin affected with water and a mild detergent. If symptoms persist consult doctor. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Induce vomiting only, if affected person is fully conscious. Call a doctor immediately. 4.2 Most important symptoms and effects, both acute and delayed sensitization Headache Dizziness Drowsiness (Contd. on page 3)

Version: 9.00

Revision: 22.04.2021

Trade name: SONAX XTREME WheelCleaner PLUS

Gastric or intestinal disorders

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. 5.2 Special hazards arising from the substance or mixture No further relevant information available. 5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Use only in well ventilated areas. Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground. Information about storage in one common storage facility: Store away from oxidising agents. Do not store together with alkalis (caustic solutions). Do not store together with acids.

Store away from foodstuffs.

Further information about storage conditions:

Store receptacle in a well ventilated area.

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

- GB



Printing date 17.05.2021

(Contd. of page 2)

SONAX®

Printing date 17.05.2021

Safety data sheet according to 1907/2006/EC, Article 31

Version: 9.00

Revision: 22.04.2021

Trade name: SONAX XTREME WheelCleaner PLUS

| DNELs | | (Contd. of p |
|--------------|----------|--|
| | 170-44 | -3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even |
| | | numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts |
| Oral | | 7.5 mg/kg (consumer) (longterm systematic effects) |
| Dermal | DNEL | 7.5 mg/kg (consumer) (longterm systematic effects) |
| | | 12.5 mg/kg (worker) (longterm systematic effects) |
| | | 44 mg/m ³ (worker) (longterm systematic effects) |
| | | 1 2-phosphonobutane-1,2,4-tricarboxylic acid |
| Oral | | 2.1 mg/kg bw/day (worker) (longterm systematic effects) |
| | | 65 mg/kg bw/day (consumer) (short-term systematic effects) |
| Dermal | DNEL | 40 mg/bw/day (consumer) (short-term systematic effects) |
| | | 80 mg/bw/day (worker) (short-term systematic effects) |
| | DNEL | 2.1 mg/kg bw/day (consumer) (longterm systematic effects) |
| | | 4.5 mg/kg bw/day (worker) (longterm systematic effects) |
| | | 3.7 mg/kg (consumer) (longterm systematic effects) |
| | | 79 mg/kg (consumer) (short-term systematic effects) |
| Inhalative | | 15 mg/m ³ (worker) (longterm systematic effects) |
| | DNEL | 158 mg/m ³ (worker) (short-term systematic effects) |
| PNECs | | |
| CAS: 147 | 170-44 | -3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts |
| PNE | -CI3.00 | 00 mg/l (STP) |
| | | 35 mg/l (water (fresh water)) |
| | | 0135 mg/l (water (sea water)) |
| PNE | | g/kg (sediment (fresh water)) |
| | - | mg/kg (sediment (sea water)) |
| | | mg/kg (soil) |
| CAS: 379 | | 1 2-phosphonobutane-1,2,4-tricarboxylic acid |
| | | ng/kg food (Secondary poisoning) |
| | | l mg/l (sewage plant) |
| | | 12 mg/l (water (intermittent release)) |
| | | B mg/l (water (fresh water)) |
| | | ß mg/l (water (sea water)) |
| PNE | | 7 mg/kg (sediment (fresh water)) |
| | |) mg/kg (soil) |
| | | |
| | | <i>mation:</i> The lists valid during the making were used as basis. |
| 8.2 Expos | | ntrols ction measures, such as personal protective equipment |
| | | ive and hygienic measures: |
| The usual | l precau | itionary measures are to be adhered to when handling chemicals. |
| Keep awa | y from t | foodstuffs, beverages and feed. |
| | | bre breaks and at the end of work. |
| Respirato | | ormal cases |
| | | tilation/exhaustion at the workplace. |
| Hand pro | tection | Protective gloves |
| Material o | | |
| Vitrile rubl | | |

Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.4 mm [EN 374]

(Contd. on page 5)

Revision: 22.04.2021

(Contd. of page 4)

Trade name: SONAX XTREME WheelCleaner PLUS

Value for the permeation: Level 4 (<240min) The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. **Eye/face protection**

Goggles recommended during refilling [EN 166]

SECTION 9: Physical and chemical properties

| | <i>"</i> , | |
|---|---|--|
| 9.1 Information on basic physical and chemical properties | | |
| General Information | | |
| Physical state | Fluid | |
| Colour: | colourless - light red | |
| Odour: | Sulphidic | |
| Melting point/freezing point: | Undetermined. | |
| Boiling point or initial boiling point and boiling | endeternimed. | |
| | 100 °C (CAS: 7732-18-5 water) | |
| range Flowmobility | | |
| Flammability | Not applicable. | |
| Lower and upper explosion limit | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Flash point: | Not applicable. | |
| Auto-ignition temperature: | Product is not selfigniting. | |
| Decomposition temperature: | Not determined. | |
| pH at 20 °C | 5.1 - 5.3 | |
| Viscosity: | | |
| Kinematic viscosity | Not determined. | |
| | Not determined. | |
| Solubility | Fully missible | |
| water: | Fully miscible. | |
| Partition coefficient n-octanol/water (log value) | Not determined. | |
| Vapour pressure at 20 °C: | 23 hPa (CAS: 7732-18-5 water) | |
| Density and/or relative density | | |
| Density at 20 °C: | 1.10 - 1.12 g/cm³ | |
| Relative density | Not determined. | |
| Vapour density | Not determined. | |
| | | |
| 9.2 Other information | | |
| Appearance: | | |
| Form: | Fluid | |
| Important information on protection of health and | | |
| environment, and on safety. | | |
| Ignition temperature: | Not determined. | |
| Explosive properties: | Product does not present an explosion hazard. | |
| Change in condition | ······································ | |
| Evaporation rate | Not determined. | |
| • | | |
| Information with regard to physical hazard classes | | |
| Explosives | Void | |
| Flammable gases | Void | |
| Aerosols | Void | |
| Oxidising gases | Void | |
| Gases under pressure | Void | |
| Flammable liquids | Void | |
| | | |
| Flammable solids | Void | |
| Self-reactive substances and mixtures | Void | |
| Pyrophoric liquids | Void | |
| Pyrophoric solids | Void | |
| Self-heating substances and mixtures | Void | |
| Substances and mixtures, which emit flammable | | |
| gases in contact with water | Void | |
| | | |
| | (Contd. on page 6) | |

GB



Printing date 17.05.2021

Version: 9.00



Printing date 17.05.2021

Version: 9.00

Revision: 22.04.2021

Trade name: SONAX XTREME WheelCleaner PLUS

| | | (Contd. of page 5) |
|-------------------------|------|--------------------|
| Oxidising liquids | Void | |
| Oxidising solids | Void | |
| Organic peroxides | Void | |
| Corrosive to metals | Void | |
| Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

10.6 Hazardous decomposition products:

In case of fire, the following can be released:

Nitrogen oxides

Sulphur dioxide

Sulphuric acid

Phosphorus oxides (e.g. P2O5)

SECTION 11: Toxicological information

| Harmful if swallowed. LD/LC50 values relevant for classification: | | | |
|---|---------|--|--|
| Oral | | 1,000-2,000 mg/kg (Additivity formula) | |
| Dermal | | >5,000 mg/kg (Additivity formula) | |
| CAS: 3 | 67-51-1 | sodium mercaptoacetate solution (46%) | |
| Oral | LD50 | 200-500 mg/kg (rat) (OECD 423 (Conc. 46%)) | |
| Dermal | LD50 | 1,000-2,000 mg/kg (rat) (OECD 402 (Conc. 98%)) | |
| CAS: 14 | 47170-4 | 44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts | |
| | | >5,000 mg/kg (rat) (OECD 401) | |
| Dermal | LD50 | >2,000 mg/kg (rat) (OECD 402) | |
| CAS: 37971-36-1 2-phosphonobutane-1,2,4-tricarboxylic acid | | | |
| Dermal | LD50 | >4,000 mg/kg (rat) | |
| Skin co | rrosio | n/irritation Based on available data, the classification criteria are not met. | |
| Serious eye damage/irritation Based on available data, the classification criteria are not met. | | | |
| Respira | tory o | r skin sensitisation May cause an allergic skin reaction. | |
| Germ c | ell mut | tagenicity Based on available data, the classification criteria are not met. | |
| Carcino | ogenici | ty Based on available data, the classification criteria are not met. | |
| Reprod | uctive | toxicity Based on available data, the classification criteria are not met. | |
| STOT-s | ingle e | exposure Based on available data, the classification criteria are not met. | |
| STOT-r | epeate | d exposure Based on available data, the classification criteria are not met. | |
| Aspirat | ion ha | zard Based on available data, the classification criteria are not met. | |
| Additio | nal tox | icological information: | |
| Repeat | ed dos | e toxicity | |
| CAS: 37 | 7971-3 | 6-1 2-phosphonobutane-1,2,4-tricarboxylic acid | |
| 0.1.1.1 | | 90 d 424 mg/kg (rat) (OECD 408, 90d, target organ: liver) | |



Printing date 17.05.2021

Version: 9.00

Revision: 22.04.2021

(Contd. of page 6)

Trade name: SONAX XTREME WheelCleaner PLUS

| | 632 mg/kg (Ratte) (OECD 408, 90d, target organ: liver) |
|-------------|--|
| NOEC / 14 d | >1,042 mg/kg (Danio rerio) (OECD 204) |

Values relevant for classification:

CAS: 37971-36-1 2-phosphonobutane-1,2,4-tricarboxylic acid

Oral NOAEL 1,000 mg/kg/day (rat) (OECD 414)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxicity:

| CAS: 367-51- | 1 sodium mercaptoacetate solution (46%) |
|--------------|---|
| LC50 / 96h | >100 mg/l (Oncorhynchus mykiss) (OECD 203 (Subs. thio |

LC50 / 96h |>100 mg/l (Oncorhynchus mykiss) (OECD 203 (Subs. thioglycolic acid))

LC50 / 48h 880 mg/l (Leuciscus idus) (DIN 38412 / 15 (Subs. thioglycolic acid))

EC50 / 48h 38 mg/l (Daphnia magna) (84/449/EWG (Subs. thioglycolic acid))

EC50 / 72h 13 mg/l (Pseudokirchneriella subcapitata) (OECD 201 (Subs. thioglycolic acid))

CAS: 147170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts

- LC 50 >1-10 mg/l (Pimephales promelas) (OECD 203)
- EC0>100 mg/l (Pseudomonas putida) (OECD 209)EC50>1-10 mg/l (Daphnia magna) (OECD 202)>1-10 mg/l (Daphnia magna) (OECD 202)

>1-10 mg/l (Desmodesmus subspicatus) (OECD 201)

NOEC ≤1 mg/l (Oncorhynchus mykiss) (OECD210)

≤1 mg/l (Daphnia magna) (OECD 211)

CAS: 37971-36-1 2-phosphonobutane-1,2,4-tricarboxylic acid

NOEC/NOEL 1,000 mg/l (rat)

12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.

12.3 Bioaccumulative potential

CAS: 367-51-1 sodium mercaptoacetate solution (46%)

log POW ≤2.99 log POW (20°C OECD 107 (thioglycolic acid))

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste classified as hazardous according to Annex III to Directive 2008/98/EC. **Recommendation** Waste must be disposed of while observing the local, official regulations. **European waste catalogue**

1) Disposal / product

2) Disposal / contaminated packaging

(Contd. on page 8)

GB

Version: 9.00

Revision: 22.04.2021

Trade name: SONAX XTREME WheelCleaner PLUS

20 01 29* detergents containing hazardous substances

15 01 10* packaging containing residues of or contaminated by hazardous substances

| SECTION 14: Transport information | on | |
|--|---------------------------|--|
| 14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA | Void | |
| 14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA | Void | |
| 14.3 Transport hazard class(es) | | |
| ADR/RID/ADN, ADN, IMDG, IATA Class | Void | |
| 14.4 Packing group ADR/RID/ADN, IMDG, IATA | Void | |
| 14.5 Environmental hazards: Marine pollutant: | No | |
| 14.6 Special precautions for user | Not applicable. | |
| 14.7 Maritime transport in bulk according instruments | to IMO Not applicable. | |
| UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Acute toxicity - oral The classification of the mixture is generally based on the calculation method using Skin sensitisation substance data according to Regulation (EC) No 1272/2008.

Version number of previous version: 8.00

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

(Contd. on page 9)



Printing date 17.05.2021

1

(Contd. of page 7)

(contai of page)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.05.2021

Version: 9.00

Revision: 22.04.2021

Trade name: SONAX XTREME WheelCleaner PLUS

(Contd. of page 8) ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity – Category 4 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 Sources "Regulation (EC) Nr. 1907/2006 (REACH), 1272/2008 (CLP), 648/2004 (Detergents) in the respective valid version.National occupation exposure limits for each country in the respective valid version.Transportation regulations according to ADR, RID, IMDG, IATA in the respective valid version." * Data compared to the previous version altered.