according to Regulation (EC) No. 1907/2006 - DE



OKS 250

Version Revision Date: Date of last issue: 14.08.2018 Print Date: 2.5 17.10.2019 Date of first issue: 23.06.2016 29.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 250

Article-No. : 000025

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Lubricant

stance/Mixture

Recommended restrictions

on use

: Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599

E-mail address of person

responsible for the SDS

National contact

mcm@oks-germany.com

1.4 Emergency telephone number

Emergency telephone num- :

ber

: +49 8142 3051 517

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 3

H412: Harmful to aquatic life with long lasting ef-

fects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



according to Regulation (EC) No. 1907/2006 - DE



OKS 250

VersionRevision Date:Date of last issue: 14.08.2018Print Date:2.517.10.2019Date of first issue: 23.06.201629.11.2019

Hazard pictograms :





Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting

effects.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face

protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously

with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/doctor.

P332 + P313 If skin irritation occurs: Get medical advice/

attention.

P391 Collect spillage.

Hazardous components which must be listed on the label: calcium dihydroxide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil

solid lubricant polyurea

Components

| Chemical name | CAS-No. | Classification | Concentration | Concentration |
|---------------|---------------------|----------------|---------------|---------------|
| | EC-No. | | limits | (% w/w) |
| | | | M-Factor | |
| | Index-No. | | Notes | |
| | Registration number | | | |



according to Regulation (EC) No. 1907/2006 - DE



OKS 250

Version Revision Date: Date of last issue: 14.08.2018 Print Date: 2.5 17.10.2019 Date of first issue: 23.06.2016 29.11.2019

| calcium dihydroxide | 1305-62-0 215-137-3 01-2119475151-45- XXXX | Skin Irrit.2; H315 Eye Dam.1; H318 STOT SE3; H335 | | >= 10 - < 20 |
|---|--|---|----------------|---------------|
| Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate] | 800-362-7 01-2119974117-33- XXXX | Skin Irrit.2; H315 Eye Irrit.2; H319 STOT RE2; H373 Aquatic Acute1; H400 Aquatic Chronic2; H411 | M-Factor: 10/1 | >= 2,5 - < 10 |
| Substances with a work | place exposure limit : | | | |
| titanium dioxide | 13463-67-7 236-675-5 01-2119489379-17- XXXX | Not classified | | >= 20 - < 30 |
| distillates (petroleum), solvent-refined heavy paraffinic | 64741-88-4 265-090-8 649-454-00-7 | Asp. Tox.1; H304 | Note H, Note L | >= 1 - < 10 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact Take off all contaminated clothing immediately.

> Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

Get medical attention immediately.



according to Regulation (EC) No. 1907/2006 - DE



OKS 250

VersionRevision Date:Date of last issue: 14.08.2018Print Date:2.517.10.2019Date of first issue: 23.06.201629.11.2019

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Skin contact may provoke the following symptoms:

Erythema

Risks : Causes skin irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Fire may cause evolution of:

Carbon oxides Metal oxides

Nitrogen oxides (NOx) Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment. Exposure to decomposi-

tion products may be a hazard to health.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

according to Regulation (EC) No. 1907/2006 - DE



OKS 250

VersionRevision Date:Date of last issue: 14.08.2018Print Date:2.517.10.2019Date of first issue: 23.06.201629.11.2019

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

(dust).

Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular



according to Regulation (EC) No. 1907/2006 - DE



OKS 250

VersionRevision Date:Date of last issue: 14.08.2018Print Date:2.517.10.2019Date of first issue: 23.06.201629.11.2019

national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) : 11, Combustible Solids

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|---|---|-------------------------------|----------------------------------|--------------------------------|
| titanium dioxide | 13463-67-7 | AGW (Inhalable fraction) | 10 mg/m3 (Titanium dioxide) | DE TRGS 900 (2014-04-02) |
| Peak-limit: excursion factor (category) | 2;(II) | | | |
| Further information | General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values., Commission for dangerous substances, Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission). | | | |
| | | AGW (Alveolate fraction) | 1,25 mg/m3 (Titanium dioxide) | DE TRGS 900 (2014-04-02) |
| Peak-limit: excursion factor (category) | 2;(II) | | | |
| Further information | General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values., Commission for dangerous substances, Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission). | | | |
| calcium dihydrox- ide | 1305-62-0 | AGW (Inhalable fraction) | 1 mg/m3 | DE TRGS 900 (2014-12-08) |
| Peak-limit: excursion factor (category) | 2;(I) | | | |
| Further information | Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., European Union (The EU has established a limit value: deviations in value and peak limit are possible), When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child | | | |
| | | TWA (Respirable fraction) | 1 mg/m3 | 2017/164/EU (2017-02-01) |

according to Regulation (EC) No. 1907/2006 - DE



OKS 250

VersionRevision Date:Date of last issue: 14.08.2018Print Date:2.517.10.2019Date of first issue: 23.06.201629.11.2019

| Further information | Indicative | | | |
|---|---|---------------------------|---------|--------------------------------|
| | | STEL (Respira- | 4 mg/m3 | 2017/164/EU |
| | | ble fraction) | | (2017-02-01) |
| Further information | Indicative | | | |
| distillates (petrole- um), solvent- refined heavy par- affinic | 64741-88-4 | AGW (Vapour and aerosols) | 5 mg/m3 | DE TRGS 900 (2018-06-07) |
| Peak-limit: excursion factor (category) | 4;(II) | | | |
| Further information | Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Sum of vapor and aerosols., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child | | | |

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|---|---------|-----------------|------------------------------|---------------------|
| titanium dioxide | Workers | Inhalation | Long-term local ef- fects | 10 mg/m3 |
| Benzene, mono-C10- 13-alkyl derivs., distn. residues | Workers | Inhalation | Long-term systemic effects | 3,2 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 4,3 mg/kg bw/day |
| calcium dihydroxide | Workers | Inhalation | Long-term local ef- fects | 1 mg/m3 |
| | Workers | Inhalation | Acute local effects | 4 mg/m3 |
| Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate] | Workers | Skin contact | Long-term systemic effects | 0,04 mg/kg |
| | Workers | Inhalation | Long-term systemic effects | 0,29 mg/m3 |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|---|---|-------------|
| titanium dioxide | Fresh water | 0,184 mg/l |
| | Intermittent use/release | 0,193 mg/l |
| | Marine water | 0,0184 mg/l |
| | Sewage treatment plant | 100 mg/l |
| | Marine sediment | 100 mg/l |
| | Fresh water sediment | 1000 mg/l |
| | Soil | 100 mg/l |
| Benzene, mono-C10-13-alkyl derivs., distn. residues | Fresh water | 0,001 mg/l |
| | Intermittent use/release | 0,001 mg/l |
| | Marine water | 0 mg/l |
| | Microbiological Activity in Sewage Treat- | 2 mg/l |



according to Regulation (EC) No. 1907/2006 - DE



OKS 250

VersionRevision Date:Date of last issue: 14.08.2018Print Date:2.517.10.2019Date of first issue: 23.06.201629.11.2019

| | ment Systems | |
|---|--|---------------|
| | Fresh water sediment | 1,65 mg/kg |
| | Marine sediment | 0,165 mg/kg |
| | Soil | 0,329 mg/kg |
| calcium dihydroxide | Fresh water | 0,49 mg/l |
| | Marine water | 0,32 mg/l |
| | Intermittent use/release | 0,49 mg/l |
| | Microbiological Activity in Sewage Treatment Systems | 3 mg/l |
| | Soil | 1080 mg/kg |
| Amines, N-C16-C18-alkyl- (evennumbered, C18 unsaturat- ed) propane-1,3-diaminium di[(9Z)-octadec-9-enoate] | Fresh water | 0,00638 mg/l |
| | Marine water | 0,000638 mg/l |
| | Intermittent use/release | 0,00509 mg/l |
| | Microbiological Activity in Sewage Treatment Systems | 98,6 mg/l |
| | Fresh water sediment | 204 mg/kg |
| | Marine sediment | 20,4 mg/kg |
| | Soil | 9,93 mg/kg |

8.2 Exposure controls

Engineering measures

none

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Material : butyl-rubber Protective index : Class 1

Remarks : Wear protective gloves. The selected protective gloves have

to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for

each case.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the spe-

cific work-place.



according to Regulation (EC) No. 1907/2006 - DE



OKS 250

VersionRevision Date:Date of last issue: 14.08.2018Print Date:2.517.10.2019Date of first issue: 23.06.201629.11.2019

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : paste

Colour : white

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data available

Density : 1,29 g/cm3

(20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

according to Regulation (EC) No. 1907/2006 - DE



OKS 250

Version Revision Date: Date of last issue: 14.08.2018 Print Date: 2.5 17.10.2019 Date of first issue: 23.06.2016 29.11.2019

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : No data available

9.2 Other information

Sublimation point : No data available

Metal corrosion rate : Not corrosive to metals

Self-ignition : not auto-flammable

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

according to Regulation (EC) No. 1907/2006 - DE



OKS 250

VersionRevision Date:Date of last issue: 14.08.2018Print Date:2.517.10.2019Date of first issue: 23.06.201629.11.2019

Components:

calcium dihydroxide:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat, male and female): > 6,04 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 436

GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.500 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : (Rat): > 5,09 mg/l

Method: OECD Test Guideline 403

GLP: no

distillates (petroleum), solvent-refined heavy paraffinic:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Product:

Remarks : Irritating to skin.

according to Regulation (EC) No. 1907/2006 - DE



OKS 250

VersionRevision Date:Date of last issue: 14.08.2018Print Date:2.517.10.2019Date of first issue: 23.06.201629.11.2019

Components:

calcium dihydroxide:

Species : human skin Assessment : Irritating to skin.

Method : OECD Test Guideline 431

Result : Irritating to skin.

GLP : yes

Species : Rabbit

Assessment : Irritating to skin.

Method : OECD Test Guideline 404

Result : Irritating to skin.

GLP : yes

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Species : Rabbit

Assessment : Irritating to skin. Result : Irritating to skin.

titanium dioxide:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : no

distillates (petroleum), solvent-refined heavy paraffinic:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : Risk of serious damage to eyes.

Components:

calcium dihydroxide:

Species : Rabbit

Assessment : Risk of serious damage to eyes.

Method : OECD Test Guideline 405

Result : Risk of serious damage to eyes.

GLP : yes



according to Regulation (EC) No. 1907/2006 - DE



OKS 250

VersionRevision Date:Date of last issue: 14.08.2018Print Date:2.517.10.2019Date of first issue: 23.06.201629.11.2019

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Species : Rabbit

Assessment : Irritating to eyes.

Method : OECD Test Guideline 405

Result : Irritating to eyes.

titanium dioxide:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

distillates (petroleum), solvent-refined heavy paraffinic:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

calcium dihydroxide:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

GLP : yes

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Assessment : Does not cause skin sensitisation. Result : Does not cause skin sensitisation.

titanium dioxide:

Species : Mouse

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

distillates (petroleum), solvent-refined heavy paraffinic:

Test Type : Buehler Test



according to Regulation (EC) No. 1907/2006 - DE



OKS 250

VersionRevision Date:Date of last issue: 14.08.2018Print Date:2.517.10.2019Date of first issue: 23.06.201629.11.2019

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

calcium dihydroxide:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

GLP: yes

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative GLP: yes

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-

octadec-9-enoate]:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

titanium dioxide:

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

distillates (petroleum), solvent-refined heavy paraffinic:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

GLP: yes

according to Regulation (EC) No. 1907/2006 - DE



OKS 250

VersionRevision Date:Date of last issue: 14.08.2018Print Date:2.517.10.2019Date of first issue: 23.06.201629.11.2019

Germ cell mutagenicity- As-

sessment

Animal testing did not show any mutagenic effects.

Carcinogenicity

Product:

Remarks : No data available

Components:

calcium dihydroxide:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

titanium dioxide:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

distillates (petroleum), solvent-refined heavy paraffinic:

Carcinogenicity - Assess-

ment

: Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

Components:

calcium dihydroxide:

Reproductive toxicity - As-

sessment

No toxicity to reproduction No effects on or via lactation

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Reproductive toxicity - As-

sessment

No toxicity to reproduction No toxicity to reproduction



according to Regulation (EC) No. 1907/2006 - DE



OKS 250

VersionRevision Date:Date of last issue: 14.08.2018Print Date:2.517.10.2019Date of first issue: 23.06.201629.11.2019

titanium dioxide:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

No effects on or via lactation

STOT - single exposure

Components:

calcium dihydroxide:

Assessment : May cause respiratory irritation.

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

titanium dioxide:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Components:

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Exposure routes : Ingestion

Assessment : May cause damage to organs through prolonged or repeated

exposure.

titanium dioxide:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Aspiration toxicity

Product:

This information is not available.

Components:

titanium dioxide:

No aspiration toxicity classification



according to Regulation (EC) No. 1907/2006 - DE



OKS 250

Version Date of last issue: 14.08.2018 Revision Date: Print Date: 17.10.2019 Date of first issue: 23.06.2016 29.11.2019 2.5

distillates (petroleum), solvent-refined heavy paraffinic:

May be fatal if swallowed and enters airways.

Further information

Product:

Ingestion causes irritation of upper respiratory system and Remarks

gastrointestinal disturbance.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Remarks: Very toxic to aquatic organisms. Toxicity to fish

Toxicity to daphnia and other : Remarks: No data available

aquatic invertebrates

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

Components:

calcium dihydroxide:

LC50 (Oncorhynchus mykiss (rainbow trout)): 50,6 mg/l Toxicity to fish

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 49,1 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 184,57

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes



according to Regulation (EC) No. 1907/2006 - DE



OKS 250

Version **Revision Date:** Date of last issue: 14.08.2018 Print Date: 17.10.2019 Date of first issue: 23.06.2016 2.5 29.11.2019

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 32 mg/l Exposure time: 14 d

Species: Crangon crangon (shrimp)

Test Type: semi-static test

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)octadec-9-enoatel:

Toxicity to fish LC50 (Danio rerio (zebra fish)): > 0,1 - 1 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0,1 - 1 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 0,01

- 0.1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- :

icity)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC50: 1,41 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

1

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity Toxic to aquatic life with long lasting effects.

titanium dioxide:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

> Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

distillates (petroleum), solvent-refined heavy paraffinic:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

according to Regulation (EC) No. 1907/2006 - DE



OKS 250

Version Date of last issue: 14.08.2018 Revision Date: Print Date: 17.10.2019 Date of first issue: 23.06.2016 2.5 29.11.2019

Test Type: static test

Method: OECD Test Guideline 203

Ecotoxicology Assessment

Chronic aquatic toxicity This product has no known ecotoxicological effects.

12.2 Persistence and degradability

Product:

Biodegradability Remarks: No data available

ity

Physico-chemical removabil- : Remarks: No data available

Components:

calcium dihydroxide:

Biodegradability Remarks: The methods for determining the biological degra-

dability are not applicable to inorganic substances.

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)octadec-9-enoate]:

Biodegradability Test Type: aerobic

> Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 65 %

Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: yes

12.3 Bioaccumulative potential

Product:

Bioaccumulation Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

Components:

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)octadec-9-enoatel:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

distillates (petroleum), solvent-refined heavy paraffinic:

Partition coefficient: n-

octanol/water

: $\log Pow: > 4 (20 °C)$



according to Regulation (EC) No. 1907/2006 - DE



OKS 250

VersionRevision Date:Date of last issue: 14.08.2018Print Date:2.517.10.2019Date of first issue: 23.06.201629.11.2019

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environ-

mental compartments

: Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

Components:

titanium dioxide:

Assessment : Non-classified vPvB substance. Non-classified PBT sub-

stance.

12.6 Other adverse effects

Product:

Additional ecological infor-

mation

Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:



according to Regulation (EC) No. 1907/2006 - DE



OKS 250

VersionRevision Date:Date of last issue: 14.08.2018Print Date:2.517.10.2019Date of first issue: 23.06.201629.11.2019

SECTION 14: Transport information

14.1 UN number

ADR : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(fatty amine derivative)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(fatty amine derivative)

IATA : Environmentally hazardous substance, solid, n.o.s.

(fatty amine derivative)

14.3 Transport hazard class(es)

 ADR
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Class 9 - Miscellaneous dangerous substances and articles

IATA (Passenger)

Packing instruction (passen: 956

ger aircraft)

Packing instruction (LQ) : Y956 Packing group : III

Labels : Class 9 - Miscellaneous dangerous substances and articles

14.5 Environmental hazards

according to Regulation (EC) No. 1907/2006 - DE



OKS 250

VersionRevision Date:Date of last issue: 14.08.2018Print Date:2.517.10.2019Date of first issue: 23.06.201629.11.2019

ADR

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

This product does not contain substances of very high concern (Regu-

lation (EC) No 1907/2006 (REACH),

Article 57).

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

: Not applicable

Regulation (EC) No 850/2004 on persistent organic pol-

lutants

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1 ENVIRONMENTAL

HAZARDS

E1



according to Regulation (EC) No. 1907/2006 - DE



OKS 250

VersionRevision Date:Date of last issue: 14.08.2018Print Date:2.517.10.2019Date of first issue: 23.06.201629.11.2019

Water contaminating class

(Germany)

: WGK 3 highly hazardous to water

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : Total dust:

others: 52,07 %

Inorganic substances in powdered form:

Not applicable

Inorganic substances in vapour or gaseous form:

Not applicable Organic Substances: portion Class 1: < 0,01 %

others: 40,54 %

Carcinogenic substances:

Not applicable
Mutagenic:
Not applicable
Toxic to reproduction:
Not applicable

Volatile organic compounds

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01 %

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H304 : May be fatal if swallowed and enters airways.

H315 : Causes skin irritation.

H318 : Causes serious eye damage. H319 : Causes serious eye irritation. H335 : May cause respiratory irritation.

H373 : May cause damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Note H : The classification and labelling shown for this substance ap-

plies to the hazardous property(ies) indicated by the hazard statement(s) in combination with the hazard class(es) and category(ies) shown. The requirements of Article 4 for manu-



according to Regulation (EC) No. 1907/2006 - DE



OKS 250

Version Revision Date: Date of last issue: 14.08.2018 Print Date: 2.5 17.10.2019 Date of first issue: 23.06.2016 29.11.2019

facturers, importers or downstream users of this substance apply to all other hazard classes and categories. For hazard classes where the route of exposure or the nature of the effects leads to a differentiation of the classification of the hazard class, the manufacturer, importer or downstream user is required to consider the routes of exposure or the nature of the effects not already considered. The final label shall follow the requirements of Article 17 and of section 1.2 of Annex I.

Note L : The classification as a carcinogen need not apply if it can be

shown that the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

2017/164/EU : Commission Directive (EU) 2017/164 establishing a fourth list

of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directive 98/24/EC.

tives 91/322/EEC, 2000/39/EC and 2009/161/EU

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

2017/164/EU / STEL : Short term exposure limit 2017/164/EU / TWA : Limit Value - eight hours DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature;

according to Regulation (EC) No. 1907/2006 - DE



OKS 250

VersionRevision Date:Date of last issue: 14.08.2018Print Date:2.517.10.2019Date of first issue: 23.06.201629.11.2019

SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Skin Irrit. 2 H315 Calculation method
Eye Dam. 1 H318 Calculation method
Aquatic Acute 1 H400 Calculation method
Aquatic Chronic 3 H412 Calculation method

This safety data sheet applies only to products originally packed and labelled by OKS Spezialschmierstoffe. The information contained therein may not be reproduced or modified without the express written permission of OKS Spezialschmierstoffe. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of our safety data sheets (e.g. as a document for download from the Internet) is not permitted without the express written consent of OKS Spezialschmierstoffe. OKS Spezialschmierstoffe provides its customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. OKS Spezialschmierstoffe provides no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorised trading partner of OKS Spezialschmierstoffe.

