



**SAFETY DATA SHEET**  
RTD LIQUID

Page: 1

Revision date: 13/02/2018

Revision No: 14

**Section 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name:** RTD LIQUID

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of substance / mixture:** Lubricant for reaming, tapping and drilling.

**1.3. Details of the supplier of the safety data sheet**

**Company name:** ROCOL

ROCOL House

Swillington

Leeds

West Yorkshire

LS26 8BS

ENGLAND

**Tel:** +44 (0) 113 232 2700

**Fax:** +44 (0) 113 232 2740

**Email:** [customer-service@rocol.com](mailto:customer-service@rocol.com)

**1.4. Emergency telephone number**

**Emergency tel:** +44 (0) 113 232 2600

**Section 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification under CLP:** Lact.: H362; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; -: EUH066; -: EUH208

**Most important adverse effects:** Repeated exposure may cause skin dryness or cracking. Contains terpineol. May produce an allergic reaction. May cause harm to breast-fed children. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

**2.2. Label elements**

**Label elements:**

**Hazard statements:** EUH066: Repeated exposure may cause skin dryness or cracking.

EUH208: Contains terpineol. May produce an allergic reaction.

H362: May cause harm to breast-fed children.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

**Hazard pictograms:** GHS09: Environmental



[cont...]

# SAFETY DATA SHEET

RTD LIQUID

Page: 2

**Signal words:** Warning

**Precautionary statements:** P260: Do not breathe dust/fumes/gas/mist/vapours/spray.  
P263: Avoid contact during pregnancy and while nursing.  
P264: Wash hands thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P273: Avoid release to the environment.  
P308+P313: IF exposed or concerned: Get medical advice/attention.  
P391: Collect spillage.  
P501: Dispose of contents/container to local/national regulations.

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

C14-C17 CHLORINATED PARAFFIN - REACH registered number(s): 01-2119519269-33

EINECS	CAS	PBT / WEL	CLP Classification	Percent
287-477-0	85535-85-9	-	Lact.: H362; Aquatic Chronic 1: H410; Aquatic Acute 1: H400; -: EUH066	70-90%

TERPINEOL - REACH registered number(s): 01-2119553062-49 / 01-2119982324-34

232-268-1	8000-41-7	-	Flam. Liq. 3: H226; Skin Sens. 1B: H317; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Asp. Tox. 1: H304; Aquatic Chronic 2: H411	<1%
-----------	-----------	---	---	-----

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

**Delayed / immediate effects:** Ingestion by mothers may cause harm to breast-fed babies.

[cont...]

# SAFETY DATA SHEET

RTD LIQUID

Page: 3

## 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Not applicable.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid. Mark out the contaminated area with signs and prevent access to unauthorised personnel.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.

**Suitable packaging:** Must only be kept in original packaging.

### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

[cont...]

# SAFETY DATA SHEET

RTD LIQUID

Page: 4

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Workplace exposure limits:** No data available.

### DNEL/PNEC Values

**Hazardous ingredients:**

#### C14-C17 CHLORINATED PARAFFIN

Type	Exposure	Value	Population	Effect
DNEL	Inhalation (repeated dose)	6.7 mg/m <sup>3</sup>	Workers	-
DNEL	Dermal (repeated dose)	47.9 mg/kg bw/day	Workers	-
DNEL	Oral	0.58 mg/kg bw/day	Consumers	-
DNEL	Dermal	28.75 mg/kg bw/day	Consumers	-
DNEL	Inhalation	2.0 mg/m <sup>3</sup>	Consumers	-
PNEC	Fresh water	1 ug/l	-	-
PNEC	Marine water	0.2 ug/l	-	-
PNEC	Microorganisms in sewage treatment	80 mg/l	-	-
PNEC	Fresh water sediments	5 mg/kg	-	-
PNEC	Marine sediments	1 mg/kg	-	-
PNEC	Soil (agricultural)	10.5 mg/kg Wet	-	-

### 8.2. Exposure controls

**Engineering measures:** The floor of the storage room must be impermeable to prevent the escape of liquids.

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Protective gloves. Nitrile gloves.

**Eye protection:** Safety glasses.

**Skin protection:** Protective clothing.

**Environmental:** No data available

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** Brown

**Odour:** Characteristic odour

**Evaporation rate:** Negligible

**Oxidising:** Non-oxidising (by EC criteria)

**Solubility in water:** Insoluble

**Viscosity:** Viscous

**Boiling point/range°C:** No data available.

**Melting point/range°C:** No data available.

**Flammability limits %: lower:** No data available.

[cont...]

# SAFETY DATA SHEET

RTD LIQUID

Page: 5

Flash point°C: > 100  
Autoflammability°C: > 200  
Relative density: 1.2  
VOC g/l: 0

upper: No data available.  
Part.coeff. n-octanol/water: No data available.  
Vapour pressure: No data available.  
pH: No data available.

## 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

Conditions to avoid: Heat.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

Hazardous ingredients:

#### C14-C17 CHLORINATED PARAFFIN

ORAL	RAT	LD50	> 2000	mg/kg
------	-----	------	--------	-------

#### TERPINEOL

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

Toxicity values: No data available.

### Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

[cont...]

# SAFETY DATA SHEET

RTD LIQUID

Page: 6

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

**Delayed / immediate effects:** Ingestion by mothers may cause harm to breast-fed babies.

## Section 12: Ecological information

### 12.1. Toxicity

**Hazardous ingredients:**

#### C14-C17 CHLORINATED PARAFFIN

ALGAE	96H ErC50	>3.2	mg/l
Daphnia magna	48H EC50	0.006	mg/l
FISH	96H LC50	>5000	mg/l

### 12.2. Persistence and degradability

**Persistence and degradability:** Not biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** Bioaccumulation potential.

### 12.4. Mobility in soil

**Mobility:** Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

**Other adverse effects:** Toxic to aquatic organisms. Toxic to soil organisms.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Recovery operations:** Not applicable.

**Waste code number:** 12 01 08

**Disposal of packaging:** Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

### 14.1. UN number

**UN number:** UN3082

[cont...]

# SAFETY DATA SHEET

RTD LIQUID

Page: 7

## 14.2. UN proper shipping name

**Shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(C14-C17 CHLORINATED PARAFFIN)

## 14.3. Transport hazard class(es)

**Transport class:** 9

## 14.4. Packing group

**Packing group:** III

## 14.5. Environmental hazards

**Environmentally hazardous:** Yes

**Marine pollutant:** Yes

## 14.6. Special precautions for user

**Special precautions:** No special precautions.

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

**Transport in bulk:** No data available.

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** Not applicable.

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

**Other information:** Safety data sheet prepared in accordance with Regulation (EC) No 1907/2006

This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008.

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

**Phrases used in s.2 and s.3:** EUH066: Repeated exposure may cause skin dryness or cracking.

EUH208: Contains terpeneol. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H362: May cause harm to breast-fed children.

H400: Very toxic to aquatic life.

[cont...]

## SAFETY DATA SHEET

RTD LIQUID

Page: 8

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.