# Safety Data Sheet 1907/2006/EC - REACH (GB) D-Schraubensicherung 5850.2400.K Article number MSS.5850K.F50 **Marston Domsel GmbH**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

53909 Zülpich

Other hazards

Date printed 05.11.2015, Revision 21.10.2015

1.1	Product identifier		
		MD-Schraubensicherung 5850.2400.K Article number MSS.5850K.F50	
1.2	Relevant identified uses of the s	ubstance or mixture and uses advised against	
1.2.1	I Relevant uses		
		Adhesive Sealing material	
1.2.2	2 Uses advised against		
		None known.	
1.3	Details of the supplier of the saf	ety data sheet	
	Company	Marston Domsel GmbH Bergheimer Str. 15 53909 Zülpich / GERMANY Phone 0 22 52 / 94 15 - 0 Fax 0 22 52 / 17 44 Homepage www.marston-domsel.de E-mail info@marston-domsel.de	
	Address enquiries to		
	Technical information	info@marston-domsel.de	
	Safety Data Sheet	sdb@chemiebuero.de	
1.4	Emergency telephone number		
	Advisory body	+49 (0)89-19240 (24h) (english)	
SEC	CTION 2: Hazards identification		
2.1	1 Classification of the substance or mixture		
		No classification.	
2.2	Label elements		
		The product does not require a hazard warning label in accordance with GHS/CLP-directives.	
	Hazard pictograms	none	
	Hazard statements	none	
	Special labelling	EUH210 Safety data sheet available on request.	
2.3	Other hazards		
	Human health dangers	Frequent persistent contact with the skin can cause skin irritation.	
	Environmental hazards	No particular hazards known.	

Further hazards were not determined with the current level of knowledge.



# Safety Data Sheet 1907/2006/EC - REACH (GB) -Schraubensicherung 5850.2400.K Article number MSS.5850K.F50 Marston Domsel GmbH

53909 Zülpich



Date printed 05.11.2015, Revision 21.10.2015

# **SECTION 3: Composition / Information on ingredients**

# Product-type:

# The product is a mixture.

	Range [%] Substance		
	<b>.</b>	Cumene hydroper	ovido
	< 1	, ,	JECS/ELINCS: 201-254-7, EU-INDEX: 617-002-00-8
	GHS/CLP: Org. Per		erox. E: H242 - Acute Tox. 3: H331 - Acute Tox. 4: H302 H312 - STOT RE 2: H373 - Skin Corr. c Chronic 2: H411, M = 1
	Comment on com	ponent parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%. For full text of H-statements: see SECTION 16.
SEC	TION 4: First aid	measures	
4.1	Description of fi	irst aid measure	S
	General information	on	Change soaked clothing.
	Inhalation		Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact		When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion		Seek medical advice immediately.
	Mart in a start		State both and a later of
4.2	Most Important	symptoms and e	effects, both acute and delayed
			No information available.
4.3	Indication of any	y immediate med	dical attention and special treatment needed
	Treat symptomatically.		
			Forward this sheet to the doctor.
SEC	TION 5: Fire-fight	ting measures	
5.1	Extinguishing m	nedia	
	Suitable extinguis	shing media	Foam, dry powder, water spray jet, carbon dioxide.
	Extinguishing me be used	dia that must not	Full water jet.
5.2	Special hazards	arising from the	e substance or mixture
			Risk of formation of toxic pyrolysis products.
5.3	Advice for firefig	ghters	
			Use self-contained breathing apparatus.
			Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accident	tal release meas	ures
6.1	Personal precau	utions, protective	e equipment and emergency procedures
	·	-	Ensure adequate ventilation.
6.2	Environmental p	orecautions	
			Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

	fety Data Sheet 1907/2006/EC - REACH (GB)
M	<b>D</b> -Schraubensicherung 5850.2400.K Article number MSS.5850K.F50
Ma	rston Domsel GmbH

53909 Zülpich



Date printed 05.11.2015, Revision 21.10.2015

	Methods and material for contain	Pick up with absorbent material (e.g. sand, universal absorbent, diatomaceous earth). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	CTION 7: Handling and storage	
<b>'.1</b>	Precautions for safe handling	
		Use only in well-ventilated areas.
		Wash hands before breaks and after work.
		Use barrier skin cream. Do not eat, drink or smoke when using this product.
		Take off contaminated clothing and wash before reuse.
.2	Conditions for safe storage, inclu	uding any incompatibilities
	_	Keep only in original container.
		Do not use metal containers.
		Protect from heat/overheating.
		Keep in a cool place. Store in a dry place.
		Recommended storage temperature: +5°C - +25°C
3	Specific end use(s)	
		This product is not recommended for use in joints which will be in contact with either pure oxygen or steam.
<b>SEC</b>	CTION 8: Exposure controls / perso	onal protection
.1	Control parameters	
	Ingredients with occupational exposure limits to be monitored (GB)	
		not applicable
	European controls	
2	Exposure controls	Ensure adaptivete ventilation on workstation
.2	Additional advice on system design	Ensure adequate ventilation on workstation.
.2	Eve protoction	
2	Eye protection	safety glasses (EN 166:2001)
.2	Eye protection Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Viton, >480 min (EN 374).
.2		The details concerned are recommendations. Please contact the glove supplier for further information.
.2	Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Viton, >480 min (EN 374).
2	Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Viton, >480 min (EN 374). light protective clothing Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to
.2	Hand protection Skin protection Other	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Viton, >480 min (EN 374). light protective clothing Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.

53909 Zülpich



Date printed 05.11.2015, Revision 21.10.2015

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

intermation on baolo physical and	onennear properti
Form	liquid
Color	blue
Odor	characteristic
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not determined
Flash point [°C]	> 93
Flammability (solid, gas) [°C]	not determined
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	1,05 (20 °C / 68,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	virtually insoluble
Partition coefficient [n-octanol/water]	not determined
Viscosity	ca. 2200 cPs (25°C)
Relative vapour density determined in air	not determined
Evaporation speed	not determined
Melting point [°C]	not determined
Autoignition temperature [°C]	not determined
Decomposition temperature [°C]	not determined
Other information	

# 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

#### 10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents. Reactions with reducing agents.

#### 10.4 Conditions to avoid

Strong heating.

#### 10.5 Incompatible materials

See SECTION 10.3.

## 10.6 Hazardous decomposition products

No hazardous decomposition products known.



# Safety Data Sheet 1907/2006/EC - REACH (GB) -Schraubensicherung 5850.2400.K Article number MSS.5850K.F50 Marston Domsel GmbH

53909 Zülpich



Date printed 05.11.2015, Revision 21.10.2015

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity

Substance	
Cumene hydroperoxide, CAS: 80-15-9	
LD50, oral, Rat: 382 mg/kg IUCLID.	
LC50, inhalative, Rat: 220 ppm 4h IUCLID.	

Serious eye damage/irritation	Slight irritant effect. Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available.

#### SECTION 12: Ecological information

#### 12.1 Toxicity

Substance	-
Cumene hydroperoxide, CAS: 80-15-9	
LC50, (96h), Oncorhynchus mykiss: 3,9 mg/l.	
EC50, (24h), Daphnia magna: 7 mg/l.	

#### 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

#### 12.3 Bioaccumulative potential

Product has having no bioaccumulation potential.

#### 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Other adverse effects

Do not discharge product unmonitored into the environment. The product is insoluble in water.

# Safety Data Sheet 1907/2006/EC - REACH (GB) -Schraubensicherung 5850.2400.K Article number MSS.5850K.F50 Marston Domsel GmbH

53909 Zülpich

Date printed 05.11.2015, Revision 21.10.2015

# Marston-Domsel Version 01 Page 6 / 8

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

	Coordinate disposal with the disposal contractor/authorities if necessary.
Waste no. (recommended)	080410
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling.
	Contaminated packing should be disposed of as product waste.
Waste no. (recommended)	150102 150104

# **SECTION 14: Transport information**

14.1	UN number	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name	
	Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es)	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable



Date printed 05.11.2015, Revision 21.10.2015

14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Relevant information under SECTION 6	to 8.
14.7	Transport in bulk according to An	nex II of MARPOL and the IBC Code
	not applicable	
SEC	TION 15: Regulatory information	
15.1	Safety, health and environmental	regulations/legislation specific for the substance or mixture
	EEC-REGULATIONS	1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (REACH)

#### ) (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC; (EU) 2015/830 TRANSPORT-REGULATIONS DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015). NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4 - Observe employment restrictions no for people - VOC (1999/13/CE) not determined

## 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## 16.1 Hazard statements (SECTION 3)

H411 Toxic to aquatic life with long lasting effects.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

H302+H312 Harmful if swallowed or in contact with skin.

H331 Toxic if inhaled.

H242 Heating may cause a fire.

53909 Zülpich



Date printed 05.11.2015, Revision 21.10.2015

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

- IUCLID = International Uniform ChemicaL Information Database
- LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

MARPOL = International Convention for the Prevention of Marine Pollution from Ships PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

### 16.3 Other information

Customs Tariff Classification procedure Modified position

not determined

none

Copyright: Chemiebüro®