



Article number MUV
Marston-Domsel GmbH
53909 Zülpich

Date printed 15.08.2019, Revision 14.11.2018

Version 06. Supersedes version: 05

Page 1 / 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****MD-UV Kleber****Article number: MUV****1.2 Relevant identified uses of the substance or mixture and uses advised against****1.2.1 Relevant uses**

Adhesive

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company	Marston-Domsel GmbH Bergheimer Str. 15 53909 Zülpich Phone +49 (0) 2252 9415-0 Fax +49 (0) 2252 1744 Homepage www.marston-domsel.de E-mail info@marston-domsel.de
----------------	--

Address enquiries to**Technical information** info@marston-domsel.de**Safety Data Sheet** sdb@chemiebuero.de**1.4 Emergency telephone number****Advisory body** +49 (0) 89-19240 (24h) (deutsch und englisch)**Company** Giftnotruf München**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]**

Eye Irrit. 2: H319 Causes serious eye irritation.
Skin Irrit. 2: H315 Causes skin irritation.
Skin Sens. 1: H317 May cause an allergic skin reaction.
STOT SE 3: H335 May cause respiratory irritation.



Article number MUV
Marston-Domsel GmbH
53909 Zlpich

Date printed 15.08.2019, Revision 14.11.2018

Version 06. Supersedes version: 05

Page 2 / 11

2.2 Label elements

Hazard pictograms



The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Signal word

WARNING

Contains:

Methacrylic acid, monoester with Propan-1,2-diole
2,2'-Ethylenedioxydiethyl dimethacrylate
exo-1,7,7-Trimethylbicyclo[2.2.1]hept-2-yl methacrylate
Methacrylic acid, monoester with Propan-1,2-diole

Hazard statements

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.
H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves / eye protection / face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 If skin irritation or rash occurs: Get medical advice / attention.
P337+P313 If eye irritation persists: Get medical advice / attention.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/national regulation.

2.3 Other hazards

Other hazards

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

Range [%]	Substance
10 - 30	Methacrylic acid, monoester with Propan-1,2-diole CAS: 27813-02-1, EINECS/ELINCS: 248-666-3, Reg-No.: 01-2119490226-37-XXXX GHS/CLP: Eye Irrit. 2: H319 - Skin Sens. 1: H317
10 - 30	exo-1,7,7-Trimethylbicyclo[2.2.1]hept-2-yl methacrylate CAS: 7534-94-3, EINECS/ELINCS: 231-403-1, EU-INDEX: 607-134-00-4 GHS/CLP: Eye Irrit. 2: H319 - Skin Irrit. 2: H315 - STOT SE 3: H335
1 - < 5	2,2'-Ethylenedioxydiethyl dimethacrylate CAS: 109-16-0, EINECS/ELINCS: 203-652-6 GHS/CLP: Skin Sens. 1: H317
1 - < 3	2-Carboxyethyl acrylate CAS: 24615-84-7, EINECS/ELINCS: 246-359-9 GHS/CLP: Acute Tox. 4: H302 H312 - Skin Corr. 1B: H314 - Eye Dam. 1: H318

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.



Article number MUV
Marston-Domsel GmbH
53909 Zlpich

Date printed 15.08.2019, Revision 14.11.2018

Version 06. Supersedes version: 05

Page 3 / 11

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Take off contaminated clothing and wash before reuse.
Inhalation	Ensure supply of fresh air.
Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Seek medical advice immediately. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	foam, dry powder, water spray jet, carbon dioxide
Extinguishing media that must not be used	Full water jet.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NO_x).
Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Do not inhale explosion and/or combustion gases.
Collect contaminated firefighting water separately, must not be discharged into the drains.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Use personal protective clothing.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.
Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13



Article number MUV
Marston-Domsel GmbH
53909 Zlpich

Date printed 15.08.2019, Revision 14.11.2018

Version 06. Supersedes version: 05

Page 4 / 11

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
Open and handle container with care.
Keep away from sources of ignition - refrain from smoking.
Contaminated work clothing should not be allowed out of the workplace.
Do not eat, drink or smoke when using this product.
Wash hands before breaks and after work.
Use barrier skin cream.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Do not store together with oxidizing agents.
Do not store together with acids.
Keep container in a well-ventilated place.
Keep container tightly closed.
Store in a dry place.
Protect from sun.
Keep in a cool place.

7.3 Specific end use(s)

See product use, SECTION 1.2



Article number MUV

Marston-Domsel GmbH

53909 Zlpich

Date printed 15.08.2019, Revision 14.11.2018

Version 06. Supersedes version: 05

Page 5 / 11

SECTION 8: Exposure controls / personal protection
8.1 Control parameters
Ingredients with occupational exposure limits to be monitored (GB)

Substance
Acrylic acid
CAS: 79-10-7, EINECS/ELINCS: 201-177-9, EU-INDEX: 607-061-00-8
Long-term exposure: 2 ppm, A4; ACGIH2006

Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES
Acrylic acid
CAS: 79-10-7, EINECS/ELINCS: 201-177-9, EU-INDEX: 607-061-00-8
Eight hours: 10 ppm, 29 mg/m ³
Short-term (15-minute): 20 ppm, 59 mg/m ³ , 1

DNEL

Substance
Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1
Industrial, dermal, Long-term - systemic effects: 4.2 mg/kg bw/day.
Industrial, inhalative, Long-term - systemic effects: 264.5 mg/m ³ .
general population, oral, Long-term - systemic effects: 2.5 mg/kg bw/day.
general population, inhalative, Long-term - systemic effects: 8.8 mg/m ³ .
general population, dermal, Long-term - systemic effects: 2.5 mg/kg bw/day.

PNEC

Substance
Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1
seawater, 0.904 mg/L.
freshwater, 0.904 mg/L.
soil, 0.727 mg/kg.
sediment (seawater), 6.28 mg/kg.
sediment (freshwater), 6.28 mg/kg.
sewage treatment plants (STP), 10 mg/L.



Article number MUV
Marston-Domsel GmbH
53909 Zlpich

Date printed 15.08.2019, Revision 14.11.2018

Version 06. Supersedes version: 05

Page 6 / 11

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0,5 mm: Butyl rubber, >480 min (EN 374-1/-2/-3). In splash contact: > 0,5 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Alkali-resistant protective clothing (EN 340)
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, filter A. (DIN EN 14387)
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	viscous
Color	clear
Odor	characteristic
Odour threshold	No information available.
pH-value	No information available.
pH-value [1%]	not applicable
Boiling point [°C]	> 35
Flash point [°C]	>93
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Bulk density [kg/m³]	not applicable
Solubility in water	partially soluble
Partition coefficient [n-octanol/water]	No information available.
Viscosity	ca. 1500 mPas (25°C)
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.

9.2 Other information

No information available.



Article number MUV
Marston-Domsel GmbH
53909 Zlpich

Date printed 15.08.2019, Revision 14.11.2018

Version 06. Supersedes version: 05

Page 7 / 11

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents and strong acids.
Polymerization may occur at elevated temperature.

10.4 Conditions to avoid

See SECTION 7.2.
Strong heating.

10.5 Incompatible materials

Various metals.

10.6 Hazardous decomposition products

Irritant gases/vapours.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Substance
2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0
LD50, oral, Rat: > 2000 mg/kg (Lit.).
Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1
LD50, oral, Rat: 11200 mg/kg.
LD50, dermal, Rabbit: > 5000 mg/kg.

Serious eye damage/irritation	Toxicological data of complete product are not available. Irritant Calculation method
Skin corrosion/irritation	Toxicological data of complete product are not available. Irritant Calculation method
Respiratory or skin sensitisation	Toxicological data of complete product are not available. May cause an allergic skin reaction. Calculation method
Specific target organ toxicity — single exposure	Toxicological data of complete product are not available. May cause respiratory irritation. Calculation method
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	

Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.



Article number MUV

Marston-Domsel GmbH

53909 Zlpich

Date printed 15.08.2019, Revision 14.11.2018

Version 06. Supersedes version: 05

Page 8 / 11

SECTION 12: Ecological information

12.1 Toxicity

Substance
Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1
LC50, (48h), Leuciscus idus: 493 mg/l (DIN 38412).
EC50, (72h), Pseudokirchneriella subcapitata: 97,2 mg/l (OECD 201).
EC50, (48h), Daphnia magna: 380 mg/l (OECD 202).

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not applicable
Biological degradability	not applicable

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

Ecological data of complete product are not available.
Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.

Waste no. (recommended)

080409*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150110*



Article number MUV

Marston-Domsel GmbH

53909 Zlpich

Date printed 15.08.2019, Revision 14.11.2018

Version 06. Supersedes version: 05

Page 9 / 11

SECTION 14: Transport information**14.1 UN number**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable



Article number MUV
Marston-Domsel GmbH
53909 Zlpich

Date printed 15.08.2019, Revision 14.11.2018

Version 06. Supersedes version: 05

Page 10 / 11

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014
TRANSPORT-REGULATIONS	ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
- VOC (2010/75/CE)	not applicable

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**16.1 Hazard statements (SECTION 03)**

H335 May cause respiratory irritation.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H318 Causes serious eye damage.
H314 Causes severe skin burns and eye damage.
H302+H312 Harmful if swallowed or in contact with skin.
H317 May cause an allergic skin reaction.



Article number MUV

Marston-Domsel GmbH

53909 Zlpich

Date printed 15.08.2019, Revision 14.11.2018

Version 06. Supersedes version: 05

Page 11 / 11

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 ATE = acute toxicity estimate
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 ELINCS = European List of Notified Chemical Substances
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 LC50 = Lethal concentration, 50%
 LD50 = Median lethal dose
 LC0 = lethal concentration, 0%
 LOAEL = lowest-observed-adverse-effect level
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 NOAEL = No Observed Adverse Effect Level
 NOEC = No Observed Effect Concentration
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 STP = Sewage Treatment Plant
 TLV@/TWA = Threshold limit value – time-weighted average
 TLV@STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

16.3 Other information**Customs Tariff**

not determined

Classification procedure

Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)
 Skin Irrit. 2: H315 Causes skin irritation. (Calculation method)
 Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method)
 STOT SE 3: H335 May cause respiratory irritation. (Calculation method)

Modified position

none

Copyright: Chemiebüro®