SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

SCREEN TFT

Registration number

UN4X-68R7-M00V-9VUE UFI:

Synonyms

BDS002565AE **Product code** 03-June-2021 Issue date

Version number 1.1

Revision date 24-March-2022 03-June-2021 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

Cleaners - Precision Identified uses

None known. Uses advised against

1.3. Details of the supplier of the safety data sheet

Company name CRC Industries Europe by

Address Touwslagerstraat 1

> 9240 Zele Belgium

+32(0)52/45.60.11 Telephone

> hse@crcind.com www.crcind.com

Company name CRC Industries UK Ltd.

Wylds Road **Address**

> Castlefield Industrial Estate TA6 4DD Bridgwater Somerset

United Kingdom +44 1278 727200 +44 1278 425644

hse.uk@crcind.com E-mail www.crcind.com Website

1.4. Emergency telephone

Telephone

Fax

Tel.:(+44)(0)1278 72 7200 (office hours: 9-17h CET)

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Category 3 H229 - Pressurized container: May Aerosols

burst if heated.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None. Signal word Warning

Hazard statements

H229 Pressurized container: May burst if heated.

Material name: SCREEN TFT - Kontakt chemie - Europe SDS GREAT BRITAIN

Precautionary statements

Prevention

P102 Keep out of reach of children.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P251 Do not pierce or burn, even after use.

Response Not assigned.

Storage

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal Not assigned.

Supplemental label information EUH208 - Contains 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one. May produce an

allergic reaction.

3% by mass of the contents are flammable. Regulation (EC) No 648/2004 on detergents:

aliphatic hydrocarbons <5% non-ionic surfactants <5% benzisothiazolinone, benzoic acid

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

Mixture

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes			
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	<2.5	308062-28-4 931-292-6	-	-				
Classification: Acute Tox. 4;H302, Skin Irrit. 2;H315, Eye Dam. 1;H318, Aquatic Acute 1;H400, Aquatic Chronic 2;H411								
1,2-benzisothiazol-3(2H)-one;1,2-ben zisothiazolin-3-one	<0.05	2634-33-5 220-120-9	01-2120761540-60	613-088-00-6				
2	2;H315, E	, ,	2;H330, Acute Tox. 4;H332, n Sens. 1;H317, Aquatic Acu					

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

InhalationIf symptoms develop move victim to fresh air. Get medical attention if symptoms persist.Skin contactWash off with soap and water. Get medical attention if irritation develops and persists.

Eye contactRinse with water. Get medical attention if irritation develops and persists. **Ingestion**In the unlikely event of swallowing contact a physician or poison control centre.

4.2. Most important symptoms and effects, both acute and

delayed

 $\label{prop:comport} \mbox{Exposure may cause temporary irritation, redness, or discomfort.}$

4.3. Indication of anyTreat symptomatically.

immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Material name: SCREEN TFT - Kontakt chemie - Europe

BDS002565AE Version #: 1.1 Revision date: 24-March-2022 Issue date: 03-June-2021

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Containers should be cooled with water to prevent vapour pressure build up.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Pressurised container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Ground and bond containers when transferring material. Do not re-use empty containers. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store away from incompatible materials (see Section 10 of the

Storage class (TRGS 510): 2B (Aerosol dispensers and lighters)

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

General Population

Components		Value	Assessment factor	Notes	
1,2-benzisothiazol-3(2H)-	one;1,2-benzisoth	iazolin-3-one (CAS 2634-33-	5)		
Long-term, Systemic, Dermal		0.345 mg/kg bw/day	200	Repeated dose toxicity	
Long-term, Systemic, Inhalation		1.2 mg/m3	50	Repeated dose toxicity	
<u>Workers</u>					
Components		Value	Assessment factor	Notes	
1,2-benzisothiazol-3(2H)-	one;1,2-benzisoth	iazolin-3-one (CAS 2634-33-	5)		
Long-term, Systemic, Dermal		0.966 mg/kg bw/day	100	Repeated dose toxicity	
Long-term, Systemic, Inhalation		6.81 mg/m3	25	Repeated dose toxicity	
edicted no effect	Not availabl	e.			

concentrations (PNECs)

8.2. Exposure controls

Material name: SCREEN TFT - Kontakt chemie - Europe
BDS002565AE Version #: 1.1 Revision date: 24-March-2022 Issue date: 03-June-2021

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Personal protection equipment should be chosen according to the CEN standards and in **General information**

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Use eye protection conforming to EN 166.

Skin protection

- Hand protection For incidental contact with the product wear chemical-resistant gloves (standard EN 374). The use

of disposable gloves is acceptable provided that they are changed immediately after a splash or spill. Neoprene gloves are recommended. Suitable gloves can be recommended by the glove

supplier.

- Other Not available.

Respiratory protection No personal respiratory protective equipment normally required. In case of insufficient ventilation,

wear suitable respiratory equipment. Chemical respirator with organic vapour cartridge.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

When using do not smoke. Always observe good personal hygiene measures, such as washing Hygiene measures

after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. **Form** Aerosol.

Colourless to yellow. Colour Characteristic odor. Odour

Odour threshold Not available.

9 - 10

Melting point/freezing point Not available. Not available. Initial boiling point and boiling

range

None Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

(%)

3000 hPa estimated Vapour pressure

Not available. Vapour density Relative density 1 g/cm3 at 20°C

Solubility(ies)

Not available. Solubility (water)

> 200 °C (> 392 °F) **Auto-ignition temperature**

Not available. **Decomposition temperature** Not available. Viscosity **Explosive properties** Not explosive. Oxidising properties Not oxidising

9.2. Other information

Aerosol spray enclosed space

 $> 440 \text{ s/m}^3$ **Deflagration density**

Material name: SCREEN TFT - Kontakt chemie - Europe SDS GREAT BRITAIN Aerosol spray ignition

distance

VOC 35 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

< 15

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid high temperatures. 10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous Carbon oxides.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Based on available data, the classification criteria are not met. Eye contact

May cause an allergic skin reaction. Skin contact

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. Acute toxicity

Components **Species Test Results**

Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides (CAS 308062-28-4)

Acute Oral

LD50 Rat 1064 mg/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met. Respiratory sensitisation Skin sensitisation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Germ cell mutagenicity Carcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Reproductive toxicity

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Not likely, due to the form of the product.

Mixture versus substance

information

Not available.

Other information May cause allergic respiratory and skin reactions.

SECTION 12: Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the 12.1. Toxicity

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components **Test Results**

1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one (CAS 2634-33-5)

Aquatic

Acute

Crustacea LC50 Harpacticoid copepod (Nitocra spinipes) >= 21 - <= 30 mg/l, 96 hours Fish LC50 Bleak (Alburnus alburnus) >= 8 - <= 13 mg/l, 96 hours

Material name: SCREEN TFT - Kontakt chemie - Europe BDS002565AE Version #: 1.1 Revision date: 24-March-2022 Issue date: 03-June-2021

SDS GREAT BRITAIN

Test Results Components **Species**

Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides (CAS 308062-28-4)

Aquatic

Acute

Crustacea EC50 Daphnia 3.1 mg/l LC50 Fish Fish 2.67 mg/l

Chronic

Algae NOEC 0.067 mg/l Algae Crustacea NOEC Daphnia 0.7 mg/l

12.2. Persistence and No data is available on the degradability of any ingredients in the mixture.

degradability

12.3. Bioaccumulative potential

Partition coefficient Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation

potential.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

The Waste code should be assigned in discussion between the user, the producer and the waste FII waste code

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents Disposal methods/information

under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance

with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Special precautions

SECTION 14: Transport information

ADR

UN1950 14.1. UN number 14.2. UN proper shipping **AEROSOLS**

name

14.3. Transport hazard class(es)

Class 2.2 Subsidiary risk

Not available. Hazard No. (ADR)

Tunnel restriction code (E)

14.4. Packing group Not applicable

14.5. Environmental hazards No

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

RID

14.1. UN number UN1950 14.2. UN proper shipping **AEROSOLS**

14.3. Transport hazard class(es)

2.2 Class Subsidiary risk 2.2 Label(s)

Not available. 14.4. Packing group

14.5. Environmental hazards No

Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions

for user

ADN

14.1. UN number UN1950 **14.2. UN proper shipping** AEROSOLS

name

14.3. Transport hazard class(es)
Class 2.2
Subsidiary risk Label(s) 2.2

14.4. Packing group Not available.

14.5. Environmental hazards No

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

14.1. UN number UN1950 **14.2. UN proper shipping** AEROSOLS

name

14.3. Transport hazard class(es)
Class 2.2
Subsidiary risk -

14.4. Packing group Not applicable

14.5. Environmental hazards No

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IMDG

14.1. UN number UN1950 **14.2. UN proper shipping** AEROSOLS

name

14.3. Transport hazard class(es)
Class 2.2
Subsidiary risk -

14.4. Packing group Not applicable

14.5. Environmental hazards

Marine pollutant No EmS F-D, S-U

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

14.7. Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC

Code

ADN; ADR; IATA; IMDG; RID



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not established.

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one (CAS 2634-33-5)

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).

CAS: Chemical Abstract Service.

Ceiling: Short Term Exposure Limit Ceiling value.

CEN: European Committee for Standardization.

CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.

GWP: Global Warming Potential.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG).

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).

RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value.

TWA: Time Weighted Average.

VLE: Exposure Limit Value. VME: Exposure Average Value. VOC: Volatile organic compounds.

vPvB: Very persistent and very bioaccumulative.

STEL: Short-term Exposure Limit.

References

Information on evaluation method leading to the classification of mixture

Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Material name: SCREEN TFT - Kontakt chemie - Europe

SDS GREAT BRITAIN

Full text of any H-statements not written out in full under Sections 2 to 15

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H330 Fatal if inhaled. H332 Harmful if inhaled. H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Product and Company Identification: EU Poison Centre Composition / Information on Ingredients: Disclosure Overrides

SECTION 3: Composition/information on ingredients: Component information

Physical & Chemical Properties: Multiple Properties

SECTION 12: Ecological information: Endocrine disrupting properties

Transport Information: Material Transportation Information

SECTION 16: Other information: Disclaimer

GHS: Classification

Training information

Revision information

Follow training instructions when handling this material.

Disclaimer

CRC Industries Europe byba cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without

written permission from CRC.

BDS002565AE Version #: 1.1 Revision date: 24-March-2022 Issue date: 03-June-2021