Regulation EC No 1907/2006 Art.31

Productname:

MARKER PEN

Ref.Nr.: BDS000907_3_20221223 (EN)

Creationdate : Replaces:

23.12.22 Version : 3.1 BDS000907_20170629

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MARKER PEN

Bulk

1.2. Relevant identified uses of the substance or mixture and uses advised against

Paints

1.3. Details of the supplier of the safety data sheet

CRC Industries Europe BV Touwslagerstraat 1 9240 Zele Belgium

Tel.: +32(0)52/45.60.11 Fax.: +32(0)52/45.00.34 E-mail: hse@crcind.com

| Subsidiaries | | Tel | Fax |
|---------------------------------|---|----------------------|------------------|
| CRC Industries Finland Oy | Smedsgatan 3-5 LT4, PL62, 08101 LOJO | +358/(19)32.921 | |
| CRC Industries France | 6, avenue du marais, C.S. 90028, 95102 Argenteuil Cedex | 01.34.11.20.00 | 01.34.11.09.96 |
| CRC Industries Deutschland GmbH | Südring 9, D-76473 Iffezheim | (07229) 303 0 | (07229)30 32 66 |
| CRC INDUSTRIES IBERIA S.L.U. | GREMIO DEL CUERO-PARC.96, POLIGONO INDUSTR. DE HONTORIA, 40195 SEGOVIA | 0034/921.427.546 | 0034/921.436.270 |
| CRC Industries Sweden | Laxfiskevägen 16, 433 38 Partille | 0046/31 706 84 80 | 0046/31 27 39 91 |

1.4. Emergency telephone number

CRC Industries Europe, Belgium: Tel.: +32(0)52/45.60.11 (office hours: 9-17h pm CET)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Physical: Flammable liquid, category 3

Flammable liquid and vapour.

Classification is based on test data.

Health: Acute toxicity, category 4



Regulation EC No 1907/2006 Art.31

Productname: MARKER PEN

Ref.Nr.: BDS000907 3 20221223 (EN) Creationdate: Replaces:

23.12.22 Version: 3.1 BDS000907_20170629

Harmful in contact with skin. Acute toxicity, category 4 Harmful if inhaled. Skin irritation, category 2 Causes skin irritation.

Classification based on calculation method. **Environment:** Not classified Classification based on calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Product identifier: Contains:

xylene

Hazard pictogram(s):



Signal word: Warning

Hazard statement(s): H226: Flammable liquid and vapour.

H312: Harmful in contact with skin.

H332: Harmful if inhaled. H315: Causes skin irritation.

P102: Keep out of reach of children. Precautionary statement(s):

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P271: Use only outdoors or in a well-ventilated area.

P280 : Wear protective gloves/protective clothing/eye protection/face

protection.

P302/352: IF ON SKIN: Wash with plenty of soap and water.

P312 : Call a POISON CENTER or doctor/physician if you feel unwell.

P501-2: Dispose of contents/container to an authorised waste collection point.

Supplemental Hazard

Restricted to professional users. information:

The label information is reduced in accordance with section 1.5.2 of Annex I (art 29 CLP-regulation)

2.3. Other hazards

No information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures



Regulation EC No 1907/2006 Art.31

23.12.22 Version: 3.1 Productname: MARKER PEN Creationdate: Ref.Nr.: BDS000907_3_20221223 (EN) Replaces: BDS000907_20170629

| o-xylene [1] | 01-2119485822- 30 | 95-47- 6 | 202- 422-2 [1] | 25- 50 | Flam. Liq. 3, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2 | H226,H332,H312,H315 | Α |
|---|----------------------|--------------|----------------------|-----------|--|---------------------|---|
| Spiro[isobenzofuran-1(3H),9'- [9H]xanthen]-3-one, 3',6'- bis(diethylamino)- | 01-2120225998- 40 | 509- 34-2 | 208- 096-8 | 0-1 | Acute Tox. 4, Eye Irrit. 2, Aquatic Chronic 3 | H302,H319,H412 | |
| Explanation notes | | | | | | | |
| A : substance with Community workplace exposure limit | | | | | | | |

^{(*} Explanation phrases : see chapter 16)

SECTION 4: First aid measures

4.1. Description of first aid measures

| Contact with eyes : | If substance has got into eyes, immediately wash out with water for at least 15 minutes Seek medical advice |
|---------------------|--|
| Contact with skin : | Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and water Seek medical advice |
| Inhalation : | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. |
| Ingestion : | If swallowed do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention |

4.2. Most important symptoms and effects, both acute and delayed

Inhalation: Harmful by inhalation. Symptoms: sore throat, cough, shortness of breath, headache Ingestion: May induce chemical pneumonia. Symptoms: sore throat, abdominal pain, nausea, vomiting Skin contact: Harmful in contact with skin Repeated exposure may cause skin dryness or cracking. Symptoms: redness and pain May cause irritation. Eye contact: Symptoms: redness and pain

4.3. Indication of any immediate medical attention and special treatment needed

General Advice: If you feel unwell, seek medical advice (show the label where possible

If symptoms persist always call a doctor

SECTION 5: Firefighting measures

5.1. Extinguishing media

foam, carbon dioxide or dry agent

5.2. Special hazards arising from the substance or mixture



Regulation EC No 1907/2006 Art.31

Productname: MARKER PEN

Ref.Nr.: BDS000907 3 20221223 (EN)

Creationdate: 23 Replaces: B

23.12.22 Version : 3.1 BDS000907_20170629

Forms hazardous decomposition products CO.CO2

5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water In case of fire, do not breathe fumes

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources

Use only outdoors or in a well-ventilated area.

Wear suitable protective clothing and gloves.

6.2. Environmental precautions

Do not allow to enter public sewers and watercourses

If polluted water reaches drainage systems or water courses, immediately inform appropriate authorities

6.3. Methods and material for containment and cleaning up

Absorb spillage in suitable inert material

Place in appropriate container

6.4. Reference to other sections

For further information see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from heat and sources of ignition

Take precautionary measures against static discharges

Equipment should be earthed

Use explosion-proof electrical/ventilating/lighting/.../equipment.

Use only non-sparking tools.

Do not breathe aerosols or vapours.

Use only outdoors or in a well-ventilated area.

Avoid contact with skin and eyes.

Wash thoroughly after use

Wear protective gloves/protective clothing/eye protection/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated place Keep out of reach of children.



Regulation EC No 1907/2006 Art.31

Productname: MARKER PEN

Ref.Nr.: BDS000907 3 20221223 (EN) Creationdate: Replaces:

23.12.22 Version: 3.1 BDS000907_20170629

7.3. Specific end use(s)

Paints

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits:

| Hazardous ingredient | CAS-nr. | method | |
|---|---------|--------|---------|
| EU established exposure limits: | | | |
| o-xylene [1] | 95-47-6 | TWA | 50 ppm |
| | | STEL | 100 ppm |
| National established exposure limits, Ireland | | - | |
| o-xylene [1] | 95-47-6 | TWA | 50 ppm |
| | | STEL | 100 ppm |

8.2. Exposure controls

Recommended gloves:

Control procedures: Use only outdoors or in a well-ventilated area.

Keep away from heat and sources of ignition

Take precautionary measures against static discharges

Personal protection: Take precautions to avoid contact with skin and eyes when handling the

product.

Do not breathe aerosols or vapours.

inhalation: In case of insufficient ventilation, wear suitable respiratory equipment.

recommended respiratory protection: Air purifying respirator equiped with organic gas/vapor cartridge (type A) When handling the product wear chemical-resistant gloves (standard EN 374). hands and skin:

The breakthrough time of the glove should be longer than the total duration of

product use. If work lasts longer than the breakthrough time, gloves should be

changed part-way through.

Nitrile eyes: Wear safety eyewear according to EN 166.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance : physical state : Liquid. colour: Red.

odour: Aromatic. : Hq Not applicable. Melting point/range: Not applicable.

Boiling point/range: > 100 °C

flammability: May form flammable vapour-air mixture



Regulation EC No 1907/2006 Art.31

Productname: MARKER PEN

Ref.Nr.: BDS000907_3_20221223 (EN)

Creationdate : Replaces:

23.12.22 Version : 3.1 BDS000907_20170629

Flash point: 25 °C (Closed Cup)

Evaporation rate: Not available. Explosion limits: upper limit: Not available. lower limit: Not available. Vapour pressure: Not available. 0.9 Not available. Relative density: Solubility in water: Insoluble in water Partition coefficient n-Not applicable. octanol/water: > 200 °C **Auto-ignition:**

Auto-ignition: > 200 °C
Viscosity: Not available.
Particle characteristics: Not applicable.

9.2. Other information

VOC = volatile organic compounds

47 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions known if used for its intended purpose

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

10.4. Conditions to avoid

Avoid overheating

10.5. Incompatible materials

Strong oxidising agent

10.6. Hazardous decomposition products

CO,CO2

SECTION 11: Toxicological information

11.1. Information on toxicological effects



Regulation EC No 1907/2006 Art.31

 Productname :
 MARKER PEN
 Creationdate :
 23.12.22 Version : 3.1

 Ref.Nr.:
 BDS000907_3_20221223 (EN)
 Replaces:
 BDS000907_20170629

acute toxicity: Harmful in contact with skin.

Harmful if inhaled.

skin corrosion/irritation: Causes skin irritation.

serious eye damage/irritation: based on available data the classification criteria are not met

respiratory or skin sensitisation:

based on available data the classification criteria are not met

germ cell mutagenicity: based on available data the classification criteria are not met carcinogenicity: based on available data the classification criteria are not met toxicity for reproduction:

toxicity for reproduction:

STOT-single exposure:

STOT repeated exposure:

aspiration hazard:

based on available data the classification criteria are not met based on available data the classification criteria are not met based on available data the classification criteria are not met based on available data the classification criteria are not met

Information on likely routes of exposure:

Inhalation : Harmful by inhalation.

Excessive inhalation of solvent vapours may give rise to nausea, headaches

and dizziness

Ingestion: May cause gastrointestinal disturbances

Skin contact: Harmful in contact with skin

Irritating to skin

Eye contact : May cause irritation.

Toxicological data:

No information available

11.2. Information on other hazards

No information available

SECTION 12: Ecological information

12.1. Toxicity

Not classified

Ecotoxicological data:

No information available

12.2. Persistence and degradability

No experimental data available

12.3. Bioaccumulative potential

No experimental data available



Regulation EC No 1907/2006 Art.31

Productname:

MARKER PEN

Ref.Nr.: BDS000907_3_20221223 (EN) Creationdate: Replaces:

23.12.22 Version: 3.1 BDS000907_20170629

12.4. Mobility in soil

Insoluble in water

12.5. Results of PBT and vPvB assessment

No information available

12.6. Endocrine disrupting properties

No information available

12.7. Other adverse effects

No experimental data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

SECTION 14: Transport information

14.1. UN number

UN-number: 1263

14.2. UN proper shipping name

Proper shipping name: **PAINT**

14.3. Transport hazard class(es)

3 Class:

F1 ADR/RID - Classification code:

14.4. Packing group

Ш Packing group:

14.5. Environmental hazards

ADR/RID - Environmentally No hazardous:

IMDG - Marine pollutant: No IATA/ICAO - Environmentally

No hazardous:



Regulation EC No 1907/2006 Art.31

Productname: MARKER PEN

Ref.Nr.: BDS000907_3_20221223 (EN)

Creationdate : Replaces:

23.12.22 Version : 3.1 BDS000907 20170629

14.6. Special precautions for user

| ADR/RID - Tunnelcode: | (D/E) |
|-----------------------|----------|
| IMDG - Ems: | F-E, S-E |
| IATA/ICAO - PAX: | 355 |
| IATA/ICAO - CAO | 366 |

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety Data Sheet is compiled according to the current European requirements.

Regulation (EC) No 1907/2006 (REACH)

Regulation (EC) No 1272/2008 (CLP)

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

*Explanation hazard statements: H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H312 : Harmful in contact with skin. H315 : Causes skin irritation.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H412: Harmful to aquatic life with long lasting effects.

acronyms and synonyms: TWA = time weight average

STEL = short time exposure limit VOC = volatile organic compounds PBT = persistant bioaccumulative toxic vPvB = very persitant very bioaccumulative

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks,no part of these documents may be reproduced by any process without written permission from CRC.

