

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** *KAJO-Hochdruckfett mit Graphit*
- **Article number:** 67110000
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Lubricant for Industrial use
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
KAJO GmbH

Boschstr. 13
59609 Anröchte
Germany
- **Further information obtainable from:**
Department of Environmental Health and Safety:
sds@kajo.de
- **1.4 Emergency telephone number:**
During normal opening times: 0049 - 2947 - 881 - 0
Business hours: Monday -Friday: 8.00 h to 16.00 h

* SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

* SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:**
Mixture of substances that are not subject to labeling according to CLP and / or substances subject to labeling with a content below the limit of consideration according to CLP
- **Dangerous components:** Void
- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

* SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**
Personal protection for the First Aider.
Remove contaminated clothing.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.11.2018

Version number 14

Revision: 05.11.2018

Trade name: KAJO-Hochdruckfett mit Graphit

(Contd. of page 1)

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
 - **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
 - **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
 - **After swallowing:** Do not induce vomiting.
 - **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
 - **4.3 Indication of any immediate medical attention and special treatment needed**
Symptomatic treatment
-

* SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
 - **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 - **For safety reasons unsuitable extinguishing agents:** Water with full jet
 - **5.2 Special hazards arising from the substance or mixture**
In case of fire the following substances may occur:
Carbon monoxide (CO)
carbon dioxide
Smoke
 - **5.3 Advice for firefighters**
Cool endangered containers with water spray from a safe distance.
Do not inhale explosion and combustion gases.
 - **Protective equipment:** Wear self-contained respiratory protective device.
-

* SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Particular danger of slipping on leaked/spilled product.
 - **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
 - **6.3 Methods and material for containment and cleaning up:**
Dispose of the material collected according to regulations.
 - **6.4 Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
-

* SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.
- **Information about fire - and explosion protection:** Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
For stability reasons, do not store above 60 °C.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.
- **Storage class:** 10-13

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.11.2018

Version number 14

Revision: 05.11.2018

Trade name: KAJO-Hochdruckfett mit Graphit

(Contd. of page 2)

- **7.3 Specific end use(s)** See product information sheet !
-

* SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
- **Respiratory protection:**
Not necessary if room is well-ventilated.
Recommendation in case of insufficient ventilation and extensive use:
Use multi-purpose combination (U.S.) or type of filter ABEK (EN 14387).
Respirators and components must be tested and approved under appropriate government standards such as NIOSH. (U.S.) or CEN (EU).
- **Protection of hands:**



Recommendation: Chemical resistant protective gloves (EN 374)

- **Material of gloves**
Nitrile rubber, NBR
Chloroprene rubber, CR
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
Value for the permeation: Level 6 = >480
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Supplementary note: The specifications are based on own tests, literature data and information of glove manufacturers, or is derived by analogy with similar substances. It should be noted, that the practical usage of a chemical-protective glove can in practice due to many influencing factors (eg temperature) may be considerably shorter than the permeation time determined through testing. Due to the large variety the instructions of the manufacturer must be observed.
- **Eye protection:**



Use safety glasses according to EN 166 : 2001.

- **Body protection:**
Impervious protective clothing
Non-slip shoes recommended

— EU —
(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.11.2018

Version number 14

Revision: 05.11.2018

Trade name: **KAJO-Hochdruckfett mit Graphit**

(Contd. of page 3)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Solid

Colour: Black

· Odour: Characteristic

· Odour threshold: Not determined.

· pH-value: Not applicable.

· Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: Undetermined.

Drip point: >180 °C

· Flash point: Not applicable.

· Flammability (solid, gas): Not determined.
Not applicable.

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Not determined.

· Explosion limits:

Lower: Not determined.

Upper: Not determined.

· Vapour pressure at 20 °C: <0.1 hPa

· Density at 20 °C: 0.9 g/cm³

· Relative density: Not determined.

· Vapour density: Not applicable.

· Evaporation rate: Not applicable.

· Solubility in / Miscibility with water:

Insoluble.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not applicable.

Kinematic: Not applicable.

· Solvent content:

Organic solvents: 0.0 %

VOC (EC) 0.00 %

VOC (EU) 0.0 g/l

· 9.2 Other information: No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity: No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions: No dangerous reactions known.

· 10.4 Conditions to avoid: No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.11.2018

Version number 14

Revision: 05.11.2018

Trade name: KAJO-Hochdruckfett mit Graphit

(Contd. of page 4)

- **10.6 Hazardous decomposition products:**
Combustion or great heat: Carbon monoxide and possible further, not known
-

* SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
 - **Acute toxicity** Based on available data, the classification criteria are not met.
 - **Primary irritant effect:**
 - **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
 - **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
 - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
 - **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
 - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
 - **Carcinogenicity** Based on available data, the classification criteria are not met.
 - **Reproductive toxicity** Based on available data, the classification criteria are not met.
 - **STOT-single exposure** Based on available data, the classification criteria are not met.
 - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
 - **Aspiration hazard** Based on available data, the classification criteria are not met.
-

SECTION 12: Ecological information

- **12.1 Toxicity**
 - **Aquatic toxicity:** No further relevant information available.
 - **12.2 Persistence and degradability** No further relevant information available.
 - **12.3 Bioaccumulative potential** No further relevant information available.
 - **12.4 Mobility in soil** No further relevant information available.
 - **Additional ecological information:**
 - **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
 - **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
 - **12.6 Other adverse effects** No further relevant information available.
-

* SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Waste disposal key:**
The waste disposal keys mentioned show recommendations based on the intended use of this product. Due to the special use and disposal conditions of the user, other waste codes can also be assigned. (2014/955/EU)

· European waste catalogue	
07 06 99	wastes not otherwise specified
12 01 12*	spent waxes and fats

- **Uncleaned packaging:**
 - **Recommendation:** Disposal must be made according to official regulations.
-

— EU —

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.11.2018

Version number 14

Revision: 05.11.2018

Trade name: **KAJO-Hochdruckfett mit Graphit**

(Contd. of page 5)

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

* SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

* SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Department of product safety
- **Contact:** Dr. John, Mail: sds@kajo.de
- **Abbreviations and acronyms:**
 - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - VOC: Volatile Organic Compounds (USA, EU)
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
- **Sources**
 - Regulations:
 - REACH Regulation (EC) No 1907/2006 as last amended by Regulation (EU) No 2018/35
 - Regulation (EC) No 1272/2008, as last amended by Regulation (EC) No 2016/1179
 - Internet:
 - <http://www.baua.de>
 - <http://www.arbeitssicherheit.de>
 - <http://www.dguv.de/ifa/de/gestis/stoffdb>

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.11.2018

Version number 14

Revision: 05.11.2018

Trade name: *KAJO-Hochdruckfett mit Graphit*

(Contd. of page 6)

<http://logkow.cisti.nrc.ca><https://echa.europa.eu>

Ordinance on facilities for the handling of water-endangering substances of 21.04.2017 (WGK classification)

REGULATION (EU) 2015/830 of May, 28th 2015

· * **Data compared to the previous version altered.**

—EU—