according to Regulation (EC) No 1907/2006



VARIO CLEAN TRENDY

Revision date: 01.02.2021

T560

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

VARIO CLEAN TRENDY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

EuPCS: PC-CLN-2 All-purpose (or multi-purpose) non-abrasive cleaners Process categories [PROC]: 8,10,11

1.3. Details of the supplier of the safety data sheet

Company name:	BUZIL-WERK Wagner GmbH & Co. KG	
Street:	Fraunhofer Str. 17	
Place:	D-87700 Memmingen	
Telephone: e-mail: Contact person: Internet:	+49 (0) 8331 930-6 info@buzil.de info@buzil.de www.buzil.com	Telefax:+49 (0) 8331 930-880
1.4. Emergency telephone number:	+49 (0) 8331 930-6 (08:00 - 16:00 h)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. The product does not support combustion. It therefore needs not to be classified as flammable despite a flash point below 60 °C.

2.2. Label elements

Regulation (EC) No. 1272/2008

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.

Special labelling of certain mixtures

Contains Methylchloroisothiazolinone, Methylisothiazolinon. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

EUH208

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to Regulation (EC) No 1907/2006

(buril)

VARIO CLEAN TRENDY

Revision date: 01.02.2021

T560

Page 2 of 9

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification				
64-17-5	ethanol			1 - < 5 %	
	200-578-6	603-002-00-5	01-2119457610-43		
	Flam. Liq. 2, Eye Irrit. 2; H225 H31	9			
68891-38-3	sodium laureth sulfate			1 - < 5 %	
			01-2119488639-16		
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	EC No Chemical name				
	Specific Conc. Limits, M-factors and ATE					
64-17-5	200-578-6	200-578-6 ethanol				
	inhalation: LC50 = >20 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg Eye Irrit. 2; H319: >= 50 - 100					
68891-38-3	sodium laureth sulfate		1 - < 5 %			
	inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg Eye Dam. 1; H318: >= 10 - 100 Eye Irrit. 2; H319: >= 5 - < 10					

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % polycarboxylates, < 5 % anionic surfactants, perfumes (Butylphenyl methylpropional, Limonene, Linalool, Citronellol, Geraniol), preservation agents (Methylchloroisothiazolinone/methylisothiazolinone).

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet alcohol resistant foam Carbon dioxide Extinguishing powder

according to Regulation (EC) No 1907/2006



VARIO CLEAN TRENDY

Revision date: 01.02.2021

T560

Page 3 of 9

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon dioxide

Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Use personal protection equipment. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothes. Do not mix with other chemicals. Use personal protection equipment. When using do not eat, drink or smoke. If extensively sprayed or used with high pressure equipment: Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas.

Advice on protection against fire and explosion No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

There are no data available on the mixture itself.

SECTION 8: Exposure controls/personal protection

according to Regulation (EC) No 1907/2006



VARIO CLEAN TRENDY

Revision date: 01.02.2021

T560

Page 4 of 9

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

8.2. Exposure controls

Protective and hygiene measures

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat, drink or smoke.

Eye/face protection

Eye protection: not required.

Hand protection

Wear suitable gloves. (EN 374, Breakthrough time: >10 min.) Suitable material: NBR (Nitrile rubber). Thickness of the glove material >= 0,1 mm A survey of suitable brands with detailed information on breakthrough times is available upon request.

Diluted ready-to-use solutions <=1%:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

Skin protection

Wear suitable work clothing.

Respiratory protection

If extensively sprayed or used with high pressure equipment: combination filter A1/P2 (EN 143, EN 14387).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

··· F ·F····	
Liquid	
blue	
Perfumes, fragrances	
	Test method
6,0 - 7,0	
approx. 0 °C	
approx. 100 °C	
54 °C	
Not sustaining combustion	
not applicable	
not applicable	
not applicable	
not applicable	
not determined	
	blue Perfumes, fragrances 6,0 - 7,0 approx. 0 °C approx. 100 °C 54 °C Not sustaining combustion not applicable not applicable not applicable

according to Regulation (EC) No 1907/2006



	VARIO CLEAN TRENDY	
Revision date: 01.02.2021	T560	Page 5 of 9
Oxidizing properties Not oxidising.		
Vapour pressure:	not determined	
Density (at 25 °C):	1,02 g/cm³	
Water solubility:	completely miscible	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Viscosity / dynamic: (at 25 °C)	<10 mPa·s	(50 1/s)
Relative vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		
Solid content:	not determined	

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

bouil

VARIO CLEAN TRENDY

Revision date: 01.02.2021

T560

Page 6 of 9

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
64-17-5	ethanol	ethanol							
	oral	LD50 mg/kg	>2000	Rat	ATE				
	dermal	LD50 mg/kg	>2000	Rat	ATE				
	inhalation vapour	LC50	>20 mg/l	Rat	ATE				
68891-38-3	sodium laureth sulfate								
	oral	LD50 mg/kg	>2000	Rat					
	dermal	LD50 mg/kg	>2000	Rat					
	inhalation aerosol	LC50	>5 mg/l	Rat					

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains Methylchloroisothiazolinone, Methylisothiazolinon. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
64-17-5	ethanol	ethanol							
	Acute fish toxicity	LC50 mg/l	>1000	96 h					
	Acute algae toxicity	ErC50 mg/l	>100						
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h					
68891-38-3	sodium laureth sulfate								
	Acute fish toxicity	LC50	7,1 mg/l	96 h		OECD 203			
	Acute algae toxicity	ErC50 mg/l	27,7	72 h		OECD 201			
	Acute crustacea toxicity	EC50	7,4 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202			
	Fish toxicity	NOEC	1 mg/l	45 d		OECD 203			
	Algae toxicity	NOEC mg/l	0,95	3 d		OECD 201			

12.2. Persistence and degradability



according to Regulation (EC) No 1907/2006

VARIO CLEAN TRENDY

Revision date: 01.02.2021

T560

Page 7 of 9

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation

(EC) No.648/2004 on detergents.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
64-17-5	ethanol					
	OECD 301	>60%	28			
	Readily biodegradable (according to OECD criteria).					
68891-38-3	sodium laureth sulfate					
	OECD 301	>60%	28			
	Readily biodegradable (according to OECD criteria).					

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68891-38-3	sodium laureth sulfate	0,95-3,9

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging


Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	
14.1. UN number:	No dangerous good in sense of these transport regulations.
Inland waterways transport (ADN)	
14.1. UN number:	No dangerous good in sense of these transport regulations.
Marine transport (IMDG)	
14.1. UN number: Marine pollutant:	No dangerous good in sense of these transport regulations. no

according to Regulation (EC) No 1907/2006



Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing) PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

according to Regulation (EC) No 1907/2006

VARIO CLEAN TRENDY

Revision date: 01.02.2021

T560

Page 9 of 9

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains Methylchloroisothiazolinone, Methylisothiazolinon. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)